EAST Search History

EAST Search History (Prior Art)

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---------------------------|---------------------|---------|---------------------|
| L1 | 12 | @pd<"20030910" and 429/129.ccls. and (fuel cell) and resin | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/20 10:20 |
| L2 | 599 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) and (metal\$3 near3 substrate) and ((resin or polymer) near3 (film or layer)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/20 10:23 |
| L3 | 14 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) same (metal\$3 near3 substrate) same ((resin or polymer) near3 (film or layer)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/20 10:23 |
| L4 | 2 | @pd<"20030910" and (separator plate or bipolar plate or fuel flow plate or fluid flow plate) same (metal\(\frac{3}{3}\) near3 substrate) same ((resin or polymer) near3 (film or layer)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/20 10:24 |
| L5 | 1 | ("6103413").PN. | USPAT; USOCR | OR | OFF | 2010/01/20 10:26 |
| L6 | 37 | ("4505992" "4900643" "5556627" "5620807" "5702755" "5798188" "5800946").PN. OR ("6103413").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/20 10:26 |
| L7 | 1 | ("20040076863").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/01/20 10:41 |

| L8 | 63 | ("20020001743" | US-PGPUB; | ADJ | ON | 2010/01/20 |
|-----|------|------------------------------|-----------------|------|-----|------------|
| | | "3012086" "3134696" | USPAT; USOCR | | | 11:12 |
| | | "3134697" "3188242" | | | | |
| | | "3497389" "3623913" | | | | |
| | | "4098967" "4175165" | | | | |
| | | "4265727" "4545926" | | | | |
| | | "4565684" "4572813" | | | | |
| | *** | "4575432" "4610808" | | | | |
| | | "4663230" "4824871" | | | | |
| | | "4832990" "4885457" | | | | |
| | | "4938833" "4988583" | | | | |
| | i | "5024818" "5165909" | | | | |
| | | "5183594" "5194307" | | | | |
| | | "5223568" "5250228" | | | | |
| | i | "5272017" "5352289" | | | | |
| | | "5468574" "5475048" | | | | |
| | i | "5498372" "5521018" | | | | |
| | | "5565072" "5578388" | | | | |
| | i | "5591382" "5591832" | | | | |
| | | "5629098" "5677074" | | | | |
| | | "5679482" "5709957" | | | | |
| | | "5728283" "5741609" | | | | |
| | | "5750197" "5798188" | | | | |
| | | "5830326" "5904797" | | | | |
| | i | "5952118" "6103413" | | | | |
| | | "6132851" "6146780" | | | | |
| | | "6183714" "6248467" | | | | |
| | i | "6251308" "6261710" | | | | |
| | | "6281275" "6372376"). | | | | |
| | | PN. OR ("7138203"). URPN. | | | | |
| | | · | | - L | | |
| L9 | 3611 | (Hayakawa).in. | US-PGPUB; | ADJ | ON | 2010/01/20 |
| | | | USPAT; USOCR | | | 12:32 |
| L10 | 631 | (Hayakawa).in. and | US-PGPUB; | ADJ | ON | 2010/01/20 |
| | • | conductive | USPAT; USOCR | | | 12:32 |
| L11 | 4 | (Hayakawa).in. and | US-PGPUB: | ADJ | ON | 2010/01/20 |
| | | (conductive with blended | USPAT; USOCR | , 20 | 011 | 12:33 |
| | i | amount) | 001711, 000011 | | | 12.00 |
| | | · , | l IO DODI ID | | | |
| L12 | 1 | I7 and thick\$4 | US-PGPUB; | ADJ | ON | 2010/01/20 |
| | | | USPAT; USOCR | | | 14:32 |
| S1 | 14 | @pd<"20030910" and | US-PGPUB; | ADJ | ON | 2009/08/02 |
| | *** | (separator or bipolar | USPAT; USOCR | | | 18:14 |
| | ** | plate) and (multiple near3 | | | | |
| | • | resin near3 (layer or film)) | | | | |
| S2 | 9 | ("2811572" "2902530" | US-PGPUB; | ADJ | ON | 2009/08/02 |
| Œ | 3 | "3520729" "3880672"). | USPAT; USOCR | 100 | ON | 18:26 |
| | * | PN. OR ("4041219"). | 00,711, 0000011 | | | 10.20 |
| | | URPN. | | | | |
| | 1 | ÇOT II TV. | 1 | 1 | | \$ |

| S3 | 211 | @pd<"20030910" and (separator or bipolar plate) and ((first or second or third) near3 resin near3 (layer or film)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:29 |
|-----|------|---|---------------------------|-----|----|---------------------|
| S4 | 209 | @pd<"20030910" and (separator or bipolar plate) and ((first or second or third) near3 resin near3 (layer or film)) not S1 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:29 |
| S5 | 48 | @pd<"20030910" and (separator or bipolar plate) and ((first or second or third) near3 resin near3 (layer or film)) not S1 and 429/1-255. ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:30 |
| S6 | 14 | @pd<"20030910" and (separator or bipolar plate) same (first or second or third) near3 resin near3 (layer or film)) not S1 and 429/1-255. ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:34 |
| S7 | 1 | ("2001/0005560").URPN. | USPAT | ADJ | ON | 2009/08/02 18:35 |
| S8 | 1324 | @pd<"20030910" and (separator or bipolar plate).ti. and 429/1-255. ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:44 |
| S9 | 9 | @pd<"20030910" and ((separator or bipolar plate) with layers).ti. and 429/1-255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 18:45 |
| S10 | 2223 | @pd<"20030910" and (separator or bipolar plate) same (metal substrate or stainless steel or aluminum or copper or nickel) same ((plated or layer or film) with (nickel or tin or copper or titanium or gold or platinum or silver or palladium or ni or sn or cu or ti or au or pt or ag or poly) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 |

| S11 | ************************************** | @pd<"20030910" and (separator or bipolar plate) with (metal substrate or stainless steel or titanium or steel or aluminum or copper or nickel) with (plated or layer or flim) with (nickel or tin or copper or titanium or gold or platinum or sliver or palladium or ni or sn or cu or ti or au or pt or ag or pold) | US-POPUB; USPAT; USOCR | AADJ | ON | 2009/08/02 20:13 |
|-----|---|---|---------------------------|------|-------|---------------------|
| S12 | * ************************************* | @pd<"20030910" and (separator or bipolar plate) with (metal substrate or stainless steel or titanium or steel or aluminum or copper or nickel) with ((plated or layer or film) with (nickel or tin or copper or titanium or gold or platinum or silver or palladdium or ni or son or cu or ti or au or pt or ag or pdf) with (rough\$4 or etch \$3) | US PCPUB; USPAT; USOCR | ADJ | ON ON | 2009/08/02 20:14 |
| S13 | 200 | @pd<"20030910" and (separator or bipolar plate) with (conductive filler or carbon fiber or carbon black or carbon) with resin | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 20:47 |
| S14 | 47 | @pd<"20030910" and ((separator or bipolar plate) with (conductive filler or carbon fiber or carbon black or carbon) with resin) same (by volume or wt or weight) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 20:48 |
| S15 | 1 | @pd<"20030910" and (separator or bipolar plate) with (carbon fiber with diameter with length) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:04 |
| S16 | 525 | @pd<"20030910" and (separator or bipolar plate) with (carbon black) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:12 |

| S17 | 25 | @pd<"20030910" and ((separator or bipolar plate) with (carbon black) with conductive) and 429/1-255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:12 |
|-------------|------|--|---------------------------|-----|-----|---------------------|
| S18 | 1352 | @pd<"20030910" and ((separator or bipolar plate) near3 (thickness)) and 429/1-255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:20 |
| S19 | 17 | @pd<"20030910" and ((separator or bipolar plate) near3 (thickness) near3 micrometer) and 429/1-255.ccls. | US PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:21 |
| \$20 | 72 | @pd<"20030910" and ((bipolar plate or separator) same (resin near3 thick\$4)) and 429/1- 255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:23 |
| S21 | 25 | @pd<"20030910" and ((bipolar plate or separator) with (resin near3 thick\$4)) and 429/1- 255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:24 |
| S22 | 1 | ("20030129471").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2009/08/02 22:25 |
| S23 | 1 | S22 and thick\$4 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 22:26 |
| S24 | 0 | @pd<"20030910" and ((bipolar plate or separator) same (resin near3 thick\$4 with optimiz \$4)) and 429/1-255.cds. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 23:11 |
| S2 5 | 6 | @pd<"20030910" and ((bipolar plate or separator) same (resin near3 thick\$4) same (optimiz\$7 or improve\$4)) and 429/1-255.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2009/08/02 23:12 |
| S26 | 280 | @pd<"20030910" and 429/129.ccls. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 13:03 |
| S27 | 62 | @pd<"20030910" and 429/129.ccls. and (fuel cell or electrochemical cell) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 13:03 |
| \$28 | 23 | @pd<"20030910" and 429/129.ccls. and (fuel cell) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 13:06 |

| S30 | 115 | ("3655449" "3953241" "4650730" "4868256" "4868256" "5376477" "5441824" "5453333" "5691047" "5991047" "5991107" "5991107" "5981107" "6980507" "6136471"). PN. OR ("6562511"). URPN. | US-PGPUB; USPAT; USOCR | wADJ | ON | 2010/01/19 13:37 |
|-------------|-----|--|---|------|-----|---------------------|
| S31 | 14 | @pd<"20030910" and (separator or bipolar plate or fluid flow plate) and (multiple near3 resin near3 (layer or film)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 13:55 |
| S32 | 35 | (separator or bipolar plate or fluid flow plate) and (multiple near3 resin near3 (layer or film)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 13:56 |
| S3 3 | 2 | (separator or bipolar plate or fluid flow plate) and (multiple near3 resin near3 (layer or film)) and fuel cell | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | ADJ | ON | 2010/01/19 13:56 |
| S34 | 1 | ("20050026025").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/01/19 14:02 |
| S3 5 | 1 | ("6103413").PN. | US-PGPUB; USPAT; USOCR | OR | OFF | 2010/01/19 14:03 |
| S3 6 | 37 | ("4505992" "4900643" "5556627" "5620807" "5702755" "5798188" "5800946").PN. OR ("6103413").URPN. | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 15:13 |
| S 37 | 30 | ("6103413").URPN. | USPAT | ADJ | ON | 2010/01/19 15:13 |
| S38 | 279 | (amount with conductive with resistivity with (alter or change or increas\$3 or decreas\$3)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:08 |
| S39 | 1 | (conductive particles near3 amount near3 (alter or change or increas\$3 or decreas\$3) near3 (resisitivity or resistance)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:11 |
| S40 | 67 | (conductive near3 amount near3 (alter or change or increas\$3 or decreas\$3) near3 (resisitivity or resistance)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:11 |

| S41 | 29 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) and (metal substrate with support) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:58 |
|-----|-----|--|---------------------------|-----|----|---------------------|
| S42 | 48 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) and (metal substrate with support\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:58 |
| S43 | 21 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) and (metal substrate with support\$3) and (metal substrate with (nickel or tin or copper or titanium or gold or platinum or silver or palladium or aluminum or copper or steel)) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 16:59 |
| S44 | 2 | @pd<"20030910" and (separator or biplolar plate or fuel flow plate or fluid flow plate) and (metal substrate with supports3) and (metal substrate with copper or titanium or gold or platinum or silver or palladium or aluminum or copper or steel)) and (metal substrate with (rickel substrate with rickel substrate with rickel substrate with rickels). | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:00 |
| S45 | 1 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) with (metal substrate with support\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:02 |
| S46 | 156 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) with (substrate with support\$3) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:02 |
| S47 | 33 | @pd<"20030910" and (separator or bipolar plate or fuel flow plate or fluid flow plate) near3 substrate near3 support\$3 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:05 |

| S48 | 5 | @pd<"20030910" and ((separator or bipolar plate or fuel flow plate or fluid flow plate) near3 substrate near3 support \$3) and fuel cell | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:06 |
|-----|----|---|---------------------------|-----|----|---------------------|
| S49 | 38 | @pd<"20030910" and ((separator or bipolar plate or fuel flow plate or fluid flow plate) near3 substrate) and (substrate with support\$3) and fuel cell | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:10 |
| S50 | 13 | @pd<"20030910" and ((separator plate or bipolar plate or fuel flow plate or fluid flow plate) near3 substrate) and (substrate with support \$3) and fuel cell | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:26 |
| S51 | 8 | @pd<"20030910" and ((separator plate or bipolar plate or fuel flow plate or fluid flow plate) near3 metal\$3 substrate) | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:31 |
| S52 | 0 | @pd<"20030910" and ((separator plate or bipolar plate or fuel flow plate or fluid flow plate) near10 metal\$3 substrate) not \$51 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:36 |
| S53 | | @pd<"20030910" and ((separator plate or bipolar plate or fuel flow plate or fluid flow plate) near9 metal\$3 substrate) not \$51 | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:36 |
| S54 | 14 | @pd<"20030910" and ((separator plate or bipolar plate or fuel flow plate or fluid flow plate) with substrate with metal) and fuel cell | US-PGPUB; USPAT; USOCR | ADJ | ON | 2010/01/19 17:37 |

EAST Search History (Interference)

<This search history is empty>

1/20/2010 3:00:43 PM

C:\ Documents and Settings\ abarrow\ My Documents\ EAST\ Workspaces\ 10570903.wsp